



39.171J

Gummibuffer, sort.
Rubber buffer, black.




39.175H

Gummibuffer, NR, hvid.
Rubber buffer, NR, white.
Ø 39 x 32 mm.




39.175J

Gummibuffer, sort.
Rubber buffer, black.
Ø 39 x 32 mm.




39.167G

Ø 32,7 x 30,7 mm.
Grå gummibuffer.
Skaffevare
Dørstopper. Hul. Ø 13,6
/ Ø 6,9 mm.




39.168G

Ø 36,1 x 41,3 mm. Grå
gummibuffer.
Dørstopper. Hul Ø 15,5 /
Ø 7 mm.




39.169G

Ø 36,5 x 50,3 mm. Grå
gummibuffer.
Dørstopper. Hul Ø 15,5
/ Ø 6,8 mm.




39.170G

Ø 37,6 x 66,4 mm. Grå
gummibuffer.
Dørstopper. Hul Ø
15,4 / Ø 7 mm.





39.14117

Maskinfod. Nylon Ø 48 mm. M 12 x 100 mm med blød aftagelig gummiskridsikring.




39.AV50

Matriale: SBR sort. Hårdhed: SH 65.
Material: SBR black. Hardness: SH 65.




39.C30/30

**Vibrations-
dæmper Ø
30 x 30 mm.**
Indvendig M8
gevind i begge
sider.
Vibration
damper.



39.C50/30


**Vibrations-
dæmper Ø
50 x 30 mm.**
Indvendig
M10 gevind i
begge sider.
Vibration
damper.



39.AV30

Gummibuffer.

Rubber buffer.



Vibrationsdæmper / Vibration damper

Hårdhed: SH 65.

Hardness: SH 65.





Vare nr. Part no.		Shore	Mål, gevind mm
39.M2515	M3020	65	M6 x 18
39.M3020	M3020	65	M8 x 23

39.631X

Gummibuffer, SBR sort, sh. 75 A med 4 huller center 60 mm


Rubber buffer, SBR black, Sh. 75 A, 4 holes, centre 60 mm.



39.632J

Gummibuffer, oval med 2 huller, sort.


Rubber buffer, oval with 2 holes, black.



39.627

Gummibuffer.


Rubber buffer. L: 203 mm.



39.634J

Buffer med stålskiver og stålhylser til 16mm bolt. 3 huller, EPDM kvalitet.


Buffer with steel washers and steel casing for 16 mm bolt, 3 holes, EPDM quality.



39.635

Buffer, vulkaniseret ny gummi med vulkaniserede stålskiver.

Buffer, vulcanized new rubber with vulcanized steel washers.



39.187

Gummiklods for liftarme. SBR, 75 SH. A, sort.

Rubber pads for lift stabilizers. SBR, Sh. 75 A, black.



39.188

Gummiklods Ø 160 mm. til liftarme. Højde 28 mm.


Rubber pad for lift arms.



39.645

Stopklods til palleøfter. NR / SBR-gummi. 5,8 kg.


Pallet lift chock. NR / SBR rubber.



39.636

Buffer, vulkaniseret ny gummi med vulkaniserede stålskiver.


Buffer, vulcanized new rubber with vulcanized steel washers.



39.637

Buffer.


Vehicle bumper.



39.638

Buffer.


Vehicle bumper.



39.620J

Gummibuffer indlagt skive 600 g pr. stk. se varenummer 39.638.


Rubber buffer with washer, 600 g each refer to article No. 39.638.



39.623J

Gummibuffer lidt konisk, Ø 10 mm huller.


Rubber buffer, slightly conical, with Ø10 mm holes.



39.626J

Gummibuffer.


Rubber buffer.



39.180

Gummifod Ø 120 mm til liftarme SBR 80 sh. A, sort.

Rubber pads Ø 120 mm for lift stabilizers. SBR, Sh. 80 A, black.



39.182

Gummifod Ø 145 mm for liftarme SBR, 75 sh. A, sort.

Rubber pads Ø 145 mm for lift stabilizers SBR, Sh. 75 A, black.



39.183

Gummifod Ø 145 mm for liftarme SBR, 80 sh. A, sort.

Rubber pads Ø 145 mm for lift stabilizers. SBR, Sh. 80 A, black.



39.184

Gummiklods for liftarme. SBR, 75 SH. A, sort.

Rubber pads for lift stabilizers. SBR, Sh. 75 A, black.



39.185

Gummiklods for liftarme. SBR, 75 SH. A, sort.

Rubber pads for lift stabilizers. SBR, Sh. 75 A, black.



39.186

Gummiklods for liftarme. SBR, 75 SH. A, sort.

Rubber pads for lift stabilizers. SBR, Sh. 75 A, black.

