



TANK SPECIALIST



brochure/catalogue

   
#tankspecialist

 **Padoan**[®]
WETANKYOU SINCE 1937

OIL TANKS

p	9	26/36
p	9	36/26
p	10	44/54
p	11	50/64
p	12	50/64 T20
p	13	63/70
p	14	70/63
p	15	70/70
p	16	70/70 R
p	17	63/27

DIESEL TANKS

p	19	26/36
p	19	44/54
p	20	50/64
p	20	64/50
p	21	63/70
p	22	70/63
p	23	70/70

COMBINED TANKS

p	25	50/64
p	26	64/50
p	27	63/70
p	28	70/70

ACCESSORIES OIL TANKS

p	30	Semi-immersed Return Filters
p	30	Immersed Return Filters for Easy Kit
p	30	Immersed Easy Filters
p	30	Evo Filters
p	31	In-line filters
p	31	Filter's clogging visual indicator
p	31	Aluminium cover with return connection and pipe
p	31	Air breather caps
p	32	Level indicators
p	32	Adjustable ball valves
p	32	Pipe fittings
p	32	Adjustable fittings

ACCESSORIES DIESEL TANKS

p	34	Diesel level indicators (for Padoan tanks)
p	34	Analogic cabin diesel oil indicator (to be installed with the generic level indicator and Padoan tanks)
p	34	Diesel connection kits
p	35	Fuel caps
p	35	VDO Cap

TANK SPECIALIST

Family company since 1937, we are a prime manufacturer of oil, diesel and combined tanks for industrial vehicles and machinery.

Our strong focus on R&D, innovation, technology and support to our customers is translated into action by the Italian headquarters and subsidiary companies in Switzerland, Germany and Chile: PADOAN GROUP.

We develop our products working side by side with our customers who mainly are bodybuilders, OEMs and distribution networks in more than 50 Countries worldwide.

The Italian design and quality mark out our wide range of tanks that is divided in "N" (the standard and multipurpose line) and "X", tanks which are designed and customized according to the customer and application needs.

Do not hesitate to contact us to reach your goals.

Our mission and vision can be expressed by our payoff: **WETANKYOU since 1937.**

We want to be a partner more than a supplier, working by your side and reaching your goals.

That is the reason why every day we ThANK people and companies who trust us as a partner to develop their projects and strategies.

At the same time we ThANK our team of more than 200 people worldwide who, for more than 80 years, provides quality and value we share with you.



Go to the configurator

Go to the virtual showroom

Visit Padoan website



www.padoan.it/en/configurator/




www.padoan.it/en/virtual-showroom/



www.padoan.it

PRODUCTS CATALOGUE



The complete product code is composed by the material code and the product code listed in the table for each item.
(example: **NSOA0070035MF00**)

Download the technical sheet with details

For dimensions with mounting kit, please refer to the technical sheet you can download by scanning the QR Code



44/54 (sidewalls 440 mm h x 540 mm w)


Mounting kit available for:



Materials available:



Download specifics www.padoan.it/documents/Padoan_OIL_44-54_EN.pdf



Code of filter flange that couples with Padoan filters

Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel	Mounting kit code SIDE	Mounting kit code REAR
Multi Function (MF)	60-70	- level gauge 127mm - suction connection 1"1/4 - return connection 1" - air breather cap h 41mm - adjustable ball valve 1" 1/4	135	350 x 440 x 540	A/F	-0070035MF00	SIDE	REAR
	80	- spy eye 1" - suction connection		400 x 440 x 540	A/F	-0080040MF00		

Code for the specific mounting kit

OIL TANKS	LT / TANK SIDEWALL	26/36	36/26	44/54	50/64	50/64 T20	63/70	70/63	70/70	70/70R	63/27
	30	p 9	p 9								
	40	p 9	p 9								
	50	p 9	p 9								
	60-70			p 10							
	75				p 11	p 12					
	80			p 10							
	90			p 10	p 11					p 16	
	100				p 11	p 12					
	110										p 17
	120				p 11	p 12	p 13	p 14			
	130				p 11				p 15		
	135						p 13	p 14			p 17
	140					p 12					
	150				p 11	p 12	p 13	p 14	p 15		
	160				p 11						
	170						p 13	p 14	p 15		
	180									p 16	p 17
	200					p 12	p 13	p 14	p 15		p 17
	215				p 11						
	250					p 12	p 13		p 15		
	300					p 12					
	400					p 12					

DIESEL TANKS	LT / TANK SIDEWALL	26/36	44/54	50/64	64/50	63/70	70/63	70/70
	60	p 19						
	80	p 19						
	90			p 20	p 20			
	110					p 21	p 22	
	120	p 19						
	125							p 23
	135					p 21	p 22	
	160							p 23
	170							p 23
	180		p 19					
	200					p 21	p 22	p 23
	210		p 19					
	215							p 23
	240					p 21	p 22	
	250		p 19					
	260							p 23
	280			p 20	p 20			
	290					p 21	p 22	
	300		p 19					
	310							p 23
	350			p 20	p 20			p 23













continue →

DIESEL TANKS	LT / TANK SIDEWALL	26/36	44/54	50/64	64/50	63/70	70/63	70/70
	360					p 21	p 22	
	400					p 21	p 22	p 23
	425			p 20	p 20			
	445							p 23
	450			p 20	p 20	p 21	p 22	
	500					p 21	p 22	p 23
	520			p 20	p 20			
	540							p 23
	550					p 21	p 22	
	570			p 20	p 20			
	590							p 23
	600					p 21	p 22	
	650					p 21	p 22	
	670					p 21	p 22	
	680							p 23
	730					p 21	p 22	
	815					p 21	p 22	p 23
	910							p 23
	960							p 23

COMBINED TANKS	LT (DIESEL/OIL) / TANK SIDEWALL	50/64	64/50	63/70	70/70
	125/140			p 27	
	140/170			p 27	
	150/150				p 28
	160/120	p 25	p 26		
	160/150			p 27	
	175/105	p 25	p 26		
	180/170			p 27	
	190/200			p 27	
	190/90	p 25	p 26		
	200/150			p 27	p 28
	200/200				p 28
	220/170			p 27	p 28
	280/170				p 28
	280/200			p 27	
	300/200				p 28
	340/200				p 28
	380/200			p 27	
	400/200				p 28
	410/170			p 27	
	480/200				p 28
	600/200			p 27	p 28
	700/200				p 28

TANK SPECIALIST

FOR INDUSTRIAL/
COMMERCIAL VEHICLES
AND MACHINERY





RAW MATERIAL USED IN AUTOMOTIVE FIELD

The material we use guarantees resistance, finishing, longer life expectancy, high quality perception to create premium products.



AUTOMATIZED WELDING PROCESS

For several years our welding process has been carried out by automatized robots, through the adoption of the MIG/MAG technology. This allows a better internal cleaning avoiding the contamination normally caused by manual or standard welding.



PAINTING PROCESS

The painted steel tanks are finished with an epoxy powder coating (from 70 to 180 μ) to guarantee the protection from aggressive agents. Moreover, on request, primer is also applied for a further protection.



RELIABILITY TEST WITH CRACK TESTING MACHINE

All of our tanks components, including brackets and straps, are tested with our cracking vibration machine to verify the life expectancy and quality of our products.




PRODUCT IDENTIFICATION WITH DISTINCTIVELY LABEL

Each tank is identified through a serial number. This individual "identity card" allows the traceability through the whole production chain and simplifies the communication between the customer and the supplier, for any needs.



INTERNAL CLEANING

On request, an innovative work station is available for the internal flushing of our aluminium and stainless steel tanks. This process is optional and represents an opportunity for companies who certify their equipment as, after this process, a declaration of conformity to the ISO16232 cleaning standards is issued by Padoan.



EXTERNAL CLEANING

We take care of the finishing of each tank. To emphasize the quality of processes and materials a manual cleaning is carried out by our team.




INSTRUCTION FOR ANY INSTALLATION KIT

All tanks and kits are supplied with instructions, to give the installers all the necessary key-points to save time and ease the assembly process. Instructions are available in four languages.



PROTECTIVE SHELLS AND HIGH RESISTANCE CARDBOARD

No additional costs for the high quality protection guaranteed by shells tailored for each type of sidewall sizing and by the high resistance cardboard.




PROMPT DELIVERY

Quality and efficiency are part of our vision, managed also with a wide range of tanks and accessories to ensure a prompt delivery to our clients. More than 3.500 tanks, in fact, are always on stock with a constant turnover.



MULTIFITTINGS SIDE INSTALLATION KIT

Our brackets are designed with a multipurpose fixing holes solution that grants a wide range of mounting combination on different chassis.



QUALITY TEST 1:1 WITH LEAK DETECTOR

Every tank is tested through an automatized machinery to verify any microscopic loss, using helium technology. Every tank is marked with a label to indicate it has been tested and approved.



EPDM PROTECTION

The particular design allows to protect hands and materials from the cutting edge. The EPDM is installed on straps and brackets. This specific material, compared to PVC, maintains its features in a wider range of temperature (-45°, +150°).



STAINLESS STEEL STRAPS AND CRADLE MOUNTING KIT

The correct positioning of the tanks is fundamental to guarantee a lasting application. This is the reason why we only use stainless steel straps which are resistant to the weather conditions and to rusting, and cradle mounting kits which fasten the tank by reining it in and avoid damages due to vibrations.

oil tanks



26/36 (sidewalls 260 mm h x 360 mm w)

Mounting kit available:

SIDE

Materials available:

A


Aluminium

F

Painted Steel
RAL 7021



Download specifics
www.padoan.it/documents/Padoan_OIL_26-36_EN.pdf



Products range	LT*	Features included	Filter Flange Code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel	Mounting kit code SIDE	Mounting kit code REAR
Multi Function (MF)	40	- spy eye 3/4" - suction connection 1"1/4	135	465 x 260 x 360	A	-0040046H000	AKMISLT263640N0	/
	50			565 x 260 x 360	A	-0050056H000		
Multi Function (MF)	30	- air breather cap h 41mm	135	365 x 260 x 360	F	-0030036H000	welded mounting kit included	/
	40			465 x 260 x 360	F	-0040046H000		
	50			565 x 260 x 360	F	-0050056H000		

* Full tank capacity

Accessories pp 30-32

36/26 (sidewalls 360 mm h x 260 mm w)

Mounting kit available:

REAR


Material available:

F

Painted Steel
RAL 7021



Download specifics
www.padoan.it/documents/Padoan_OIL_36-26_EN.pdf



Products range	LT*	Features included	Filter Flange Code	Dimensions (only tank) L x H x W	Material	Product Code NSOF: Painted steel	Mounting kit code SIDE	Mounting kit code REAR
Multi Function (MF)	30	- spy eye 3/4" - suction connection 1"1/4 - adjustable ball valve 1" 1/4	135	365 x 360 x 260	F	-0030036V000	/	welded mounting kit included
	40			465 x 360 x 260	F	-0040046V000		
	50			565 x 360 x 260	F	-0050056V000		

* Full tank capacity

Accessories pp 30-32

oil tanks

44/54 (sidewalls 440 mm h x 540 mm w)



Download specifics
www.padoan.it/documents/Padoan_OIL_44-54_EN.pdf




Mounting kit available for:

SIDE **REAR**

Materials available:

A **F**

Aluminium Painted
 Steel
 RAL 7021



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel	Mounting kit code	
							SIDE	REAR
Multi Function (MF)	60-70	- level gauge 127mm - suction connection 1"1/4 - return connection 1" - air breather cap h 41mm - adjustable ball valve 1" 1/4	135	350 x 440 x 540	A/F	-0070035MF00	AKMISLT44544000	AKMISRC04405404
	80	- spy eye 1" - suction connection 1"1/4 - return connection 1"		400 x 440 x 540	A/F	-0080040MF00		
	90	- air breather cap h 41mm - adjustable ball valve 1" 1/4		450 x 440 x 540	A/F	-0090045MF00		

* Full tank capacity

50/64 (sidewalls 500 mm h x 640 mm w)




Mounting kit available for:





Materials available:



Download specifics
www.padoan.it/documents/Padoan_OIL_50-64_EN.pdf



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel NSOI: Stainless steel	Mounting kit code 	Mounting kit code 
Multi Function (MF)	90	- spy eye 1" - suction connection 1"1/4 - return connection 1" - air breather cap h 41mm adjustable ball valve 1" 1/4	135	350 x 500 x 640	A/F/I	-0090035MF00	AKMISLT50645000	AKMISRC05006405
	100	- spy eye 1"		400 x 500 x 640	A/F/I	-0100040MF00		
	120	- suction connection 1"1/2		450 x 500 x 640	A/F/I	-0120045MF00		
	130	- return connection 1"		500 x 500 x 640	A/F/I	-0130050MF00		
	150	- air breather cap h 41mm		550 x 500 x 640	A/F/I	-0150055MF00		
	160	- adjustable ball valve 1" 1/2		600 x 500 x 640	A/F/I	-0160060MF00		
	215			780 x 500 x 640	A/F/I	-0215078MF00		
Monobacket	75	- spy eye 1" - suction connection 1"1/4 - return connection 1" - air breather cap h 41mm - adjustable ball valve 1" 1/4	135	300 x 500 x 640	A/F	-0075030CF00	included	/
Compact	75	- spy eye 1" - suction connection 1"1/4	135	300 x 500 x 640	A/F	-0075030RC00	/	included
	90	- return connection 1"		350 x 500 x 640	F	-0090035RC00		
	100	- air breather cap h 41mm		400 x 500 x 640	F/I	-0100040RC00		
	120	- adjustable ball valve 1" 1/4		450 x 500 x 640	F	-0120045RC00		
Evo (ET)	90		Evo	350 x 500 x 640	A/F/I	-0090035ET00	AKMISLT50645000	AKMISRC05006405
	100	- level indicator part of Evo Filter		400 x 500 x 640	A/F/I	-0100040ET00		
	120	- suction connection 1"1/4		450 x 500 x 640	A/F/I	-0120045ET00		
	130	- return connection 1"		500 x 500 x 640	A/F/I	-0130050ET00		
	150	- adjustable ball valve 1" 1/4		550 x 500 x 640	A/F/I	-0150055ET00		
	160			600 x 500 x 640	A/F/I	-0160060ET00		
	215			780 x 500 x 640	A/F/I	-0215078ET00		

* Full tank capacity

50/64 T20 (sidewalls 500 mm h x 640 mm w)




Mounting kit available:

SIDE

Materials available:



Download specifics
www.padoan.it/documents/Padoan_OIL_50-64_T20_EN.pdf



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel NSOI: Stainless steel	Mounting kit code SIDE	Mounting kit code REAR	
T20	75	- air breather cap h 41mm - suction connection 1" 1/2 To define according to customers requirements: - level gauge - return connection - adjustable ball valve	135	300 x 500 x 640	A/F	-0075030T200	AKMIMS0T25640N0		
	100	To define according to customers requirements: - level gauge - return connection - adjustable ball valve	195	400 x 500 x 640	A/F/I	-0100040T200	AKMISLTT2564000	/	
	120			- air breather cap h 41mm - suction connection 2"	470 x 500 x 640	A/F/I			-0120047T200
	140			530 x 500 x 640	A/F/I	-0140053T200			
	150			570 x 500 x 640	A/F/I	-0150057T200			
	200			750 x 500 x 640	A/F/I	-0200075T200			
	250			930 x 500 x 640	A/F/I	-0250093T200			
	300			- air breather cap h 41mm - suction connection 2" 1/2	1100 x 500 x 640	A/F/I			-0300110T200
	400	To define according to customers requirements: - level gauge - return connection - adjustable ball valve	1500 x 500 x 640	A/F/I	-0400150T200				

* Full tank capacity

63/70 (sidewalls 636 mm h x 706 mm w)





Download specifics
www.padoan.it/documents/Padoan_OIL_63-70_EN.pdf

Mounting kit available:



Materials available:



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel NSOI: Stainless steel	Mounting kit code 	Mounting kit code 
Multi Function (MF)	135	- spy eye 1"	135	350 x 636 x 706	A/F/I	-0135035MF00		
	150	- suction connection 1" 1/2		400 x 636 x 706	A/F/I	-0150040MF00		
	170	- 2 x return connection 1"		450 x 636 x 706	A/F/I	-0170045MF00		
	200	- return connection 1" 1/4 - air breather cap h 41mm - adjustable ball valve 1" 1/2		500 x 636 x 706	A/F/I	-0200050MF00		
	250	- spy eye 1" - suction connection 2" - 2 x return connection 1" - air breather cap h 41mm - adjustable ball valve 2"	195	600 x 636 x 706	A/F/I	-0250060CF00		
Monobacket	120	- spy eye 1" - suction connection 1"1/2 - return connection 1"	135	300 x 636 x 706	A/F/I	-0120030CF00	included	/
	135	- air breather cap h 41mm - adjustable ball valve 1" 1/2		350 x 636 x 706	A/F/I	-0135035MFMS		
Valve Plate (MFPG)	135	- spy eye 1"	135	350 x 636 x 706	A/F/I	-0135035MFPG		
	150	- suction connection 1"1/2		400 x 636 x 706	A/F/I	-0150040MFPG		
	170	- 2 x return connection 1"		450 x 636 x 706	A/F/I	-0170045MFPG		
	200	- air breather cap h 41mm - adjustable ball valve 1" 1/2		500 x 636 x 706	A/F/I	-0200050MFPG		
	250			600 x 636 x 706	A/F/I	-0250060MFPG		
Compact	135	- spy eye 1" - suction connection 1" 1/4 - return connection 1" - air breather cap h 41mm - adjustable ball valve 1" 1/4	135	350 x 636 x 706	A/F/I	-0135035RC00	/	AKMISRC06307005
Evo (ET)	135	- level indicator part of Evo Filter	Evo	350 x 636 x 706	A/F/I	-0135035ET00		
	150	- suction connection 1"1/2		400 x 636 x 706	A/F/I	-0150040ET00		
	170	- return connection 1"		450 x 636 x 706	A/F/I	-0170045ET00		
	200	- adjustable ball valve 1" 1/2		500 x 636 x 706	A/F	-0200050ET00		

* Full tank capacity

oil tanks

70/63


 (sidewalls 706 mm h x 636 mm w)


Mounting kit available:

SIDE **REAR**

Materials available:

A	F	I
Aluminium	Painted Steel RAL 7021	Stainless Steel


 Download specifics
www.padoan.it/documents/Padoan_OIL_70-63_EN.pdf


Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel NSOI: Stainless steel	Mounting kit code SIDE	Mounting kit code REAR
Multi Function (MF)	135	- spy eye 1" - suction connection 1" 1/2	135	350 x 706 x 636	F/I	-0135035C0RV	AKMISLT07006305	AKMISRC07006305
	150	- 2 x return connection 1" - return connection 1" 1/4		400 x 706 x 636	A/F/I	-0150040C0RV		
	170	- air breather cap h 41mm		450 x 706 x 636	A/F/I	-0170045C0RV		
	200	- adjustable ball valve 1" 1/2		500 x 706 x 636	A/F/I	-0200050C0RV		
Monobacket	120	- spy eye 1" - suction connection 1" 1/2 - return connection 1" - air breather cap h 41mm - adjustable ball valve 1" 1/2	/	300 x 706 x 636	A/F	-0120030C0RV	included	/

* Full tank capacity



70/70 (sidewalls 700 mm h x 700 mm w)


Mounting kit available:









Materials available:



Download specifics
www.padoan.it/documents/Padoan_OIL_70-70_EN.pdf



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel	Mounting kit code	Mounting kit code
								
Multi Function (MF)	150	- spy eye 1" - suction connection 1" 1/2	135	350 x 700 x 700	A/F	-0150035MF00		
	170	- 2 x return connection 1" - return connection 1" 1/4 - air breather cap h 41mm		400 x 700 x 700	A/F	-0170040MF00		
	200	- adjustable ball valve 1" 1/2		450 x 700 x 700	A/F	-0200045MF00		
	250	- spy eye 1" - suction connection 2" - 2 x return connection 1" - air breather cap h 41mm - adjustable ball valve 2"		550 x 700 x 700	A/F	-0250055CF00		
Monobacket	130	- spy eye 1" - suction connection 1" 1/2 - return connection 1" - air breather cap h 41mm - adjustable ball valve 1" 1/2	135	300 x 700 x 700	A/F	-0130030CF00	included	/
Evo (ET)	170	- spy eye 1" - suction connection 1" 1/2	Evo	400 x 700 x 700	A	-0170040ET00		
	200	- return connection 1" - adjustable ball valve 1" 1/2		450 x 700 x 700	A	-0200045ET00		

* Full tank capacity



70/70 R (sidewalls 700 mm h x 700 mm w)

Mounting kit available:




Material available:



Aluminium



Download specifics
www.padoan.it/documents/Padoan_OIL_70-70_EN_rearcabin.pdf



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NKOA: Aluminium	Mounting kit code SIDE	Mounting kit code REAR
70/70R	90	Master: - spy eye 1" - suction connection 1" 1/2 - return connection 1" - air connection 1/2" - air breather cap h 41mm	/	230 x 700 x 700	A	- 0090023RC01		
	180	Master: - spy eye 1" - suction connection 1" 1/2 - return connection 1" - air connection 1/2" - air breather cap h 41mm Slave: - suction connection 1" 1/2 - return connection 1" - air connection 1/2"	/	230 x 700 x 700	A	- 0180023RC01	/	included

* Full tank capacity



63/27 (sidewalls 638 mm h x 270 mm w)


Mounting kit available:

REAR

Materials available:



Download specifics
www.padoan.it/documents/Padoan_OIL_63-27_EN.pdf



Products range	LT*	Features included	Filter flange code	Dimensions (only tank) L x H x W	Material	Product code NSOA: Aluminium NSOF: Painted steel NSOI: Stainless steel	Mounting kit code SIDE	Mounting kit code REAR
Classic (RC)	110	- spy eye 1" - suction connection 1" 1/4	135	700 x 638 x 270	A/F/I	-0110070RC00		
	135	- air breather cap h 69mm - adjustable ball valve 1" 1/4		860 x 638 x 270	A/F/I	-0135086RC00		
	180	- spy eye 1" - suction connection 1" 1/2		1150 x 638 x 270	A/F/I	-0180115RC00		
	200	- air breather cap h 69mm - adjustable ball valve 1" 1/2		1260 x 638 x 270	A/F/I	-0200126RC00		
2 Filter Flange (RC30)	200	- spy eye 1" - suction connection 1" 1/2 - return connection 1" - air breather cap h 69mm - adjustable ball valve 1" 1/2	2 x 135	1260 x 638 x 270	A/F/I	-0200126RC30	/	included
Evo (ET)	110	- spy eye 1" - suction connection 1" 1/4	Evo	700 x 638 x 270	A/F/I	-0110070RE00		
	135	- adjustable ball valve 1" 1/4		860 x 638 x 270	A/F/I	-0135086RE00		
	180	- spy eye 1" - suction connection 1" 1/2		1150 x 638 x 270	A/F/I	-0180115RE00		
	200	- adjustable ball valve 1" 1/2		1260 x 638 x 270	A/F	-0200126RE00		

* Full tank capacity

diesel tanks





26/36 (sidewalls 260 mm h x 360 mm w)

Mounting kit available:


SIDE

Materials available:

A Aluminium
F Painted Steel RAL 7021



Download specifics
www.padoan.it/documents/Padoan_DIESEL_26-36_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel	Mounting kit code SIDE
26/36 diesel	60	- fuel cap with key and breathing valve	675 x 260 x 360	A/F	- 0060067C100	Included
	80	- bayonet connection (for VDO level indicator)	895 x 260 x 360		- 0080090C100	
	120	- diesel drainage - homologation ECE34 Part III (side installation)	1315 x 260 x 360		- 0120132C100	

* Full tank capacity

Accessories pp 34-35



44/54 (sidewalls 440 mm h x 540 mm w)

Mounting kit available:


SIDE

Materials available:

A Aluminium
F Painted Steel RAL 7021



Download specifics
www.padoan.it/documents/Padoan_DIESEL_44-54_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel	Mounting kit code SIDE
44/54 diesel	180	- fuel cap with key and breathing valve	850 x 440 x 540	A/F	- 0180085C100	Included
	210	- bayonet connection (for VDO level indicator)	1000 x 440 x 540		- 0210100C100	
	250	- diesel drainage	1200 x 440 x 540		- 0250120C100	
	300	- homologation ECE34 Part III (side installation)	1400 x 440 x 540		- 0300140C100	

* Full tank capacity

Accessories pp 34-35

diesel tanks

50/64 (sidewalls 500 mm h x 640 mm w)

Mounting kit available:

SIDE

Materials available:



Aluminium



Painted Steel
RAL 7021




Stainless Steel



Download specifics

www.padoan.it/documents/Padoan_DIESEL_50-64_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel NSGI: Stainless steel	Mounting kit code SIDE
50/64 diesel	90		350 x 500 x 640	A/F/I	- 0090035C100	Included
	280	- fuel cap with key and breathing valve	1000 x 500 x 640		- 0300100C100	
	350	- bayonet connection (for VDO level indicator)	1250 x 500 x 640		- 0380125C100	
	425	- diesel drainage	1500 x 500 x 640		- 0400150C100	
	450	- homologation ECE34 Part III (side installation)	1600 x 500 x 640		- 0500160C100	
	520		1800 x 500 x 640		- 0550180C100	
	570		2000 x 500 x 640		- 0600200C100	

* Full tank capacity

Accessories pp 34-35

64/50 (sidewalls 640 mm h x 500 mm w)**

Mounting kit available:

SIDE

Materials available:



Aluminium



Painted Steel
RAL 7021




Stainless Steel



Download specifics

www.padoan.it/documents/Padoan_DIESEL_64-50_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel NSGI: Stainless steel	Mounting kit code SIDE
64/50 diesel	90		350 x 640 x 500	A/F/I	- 0090035C1RV	Included
	280	- fuel cap with key and breathing valve	1000 x 640 x 500		- 0280100C1RV	
	350	- bayonet connection (for VDO level indicator)	1250 x 640 x 500		- 0350125C1RV	
	425	- diesel drainage	1500 x 640 x 500		- 0425150C1RV	
	450	- homologation ECE34 Part III (side installation)	1600 x 640 x 500		- 0450160C1RV	
	520		1800 x 640 x 500		- 0520180C1RV	
	570		2000 x 640 x 500		- 0570200C1RV	

* Full tank capacity ** Upon request

Accessories pp 34-35



63/70 (sidewalls 636 mm h x 706 mm w)


Mounting kit available:

SIDE

Materials available:



Download specifics
www.padoan.it/documents/Padoan_DIESEL_63-70_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel NSGI: Stainless steel	Mounting kit code SIDE
63/70 diesel	110	<ul style="list-style-type: none"> - fuel cap with key and breathing valve - bayonet connection (for VDO level indicator) - diesel drainage - homologation ECE34 Part III (side installation) 	300 x 636 x 706	A/F/I	- 0120030C100	Included
	135		350 x 636 x 706		- 0135035C100	
	200		500 x 636 x 706		- 0200050C100	
	240		610 x 636 x 706		- 0250061C100	
	290		735 x 636 x 706		- 0300073C100	
	360		900 x 636 x 706		- 0350090C100	
	400		1000 x 636 x 706		- 0400100C100	
	450		1110 x 636 x 706		- 0450111C100	
	500		1250 x 636 x 706		- 0500125C100	
	550		1360 x 636 x 706		- 0550136C100	
	600		1500 x 636 x 706		- 0600150C100	
	650		1610 x 636 x 706		- 0650161C100	
	670		1700 x 636 x 706		- 0670170C100	
730	1800 x 636 x 706	- 0700180C100				
815	2000 x 636 x 706	- 0800200C100				

* Full tank capacity

Accessories pp 34-35



70/63 (sidewalls 706 mm h x 636 mm w)**

Mounting kit available for:

SIDE

Materials available:



Aluminium



Painted
Steel
RAL 7021




Stainless
Steel



Download specifics

www.padoan.it/documents/Padoan_DIESEL_70-63_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel NSGI: Stainless steel	Mounting kit code SIDE
70/63 diesel	110	<ul style="list-style-type: none"> - fuel cap with key and breathing valve - bayonet connection (for VDO level indicator) - diesel drainage - homologation ECE34 Part III (side installation) 	300 x 706 x 636	A/F/I	- 0110030C1RV	Included
	135		350 x 706 x 636		- 0135035C1RV	
	200		500 x 706 x 636		- 0200050C1RV	
	240		610 x 706 x 636		- 0240061C1RV	
	290		735 x 706 x 636		- 0290073C1RV	
	360		900 x 706 x 636		- 0360090C1RV	
	400		1000 x 706 x 636		- 0400100C1RV	
	450		1110 x 706 x 636		- 0450111C1RV	
	500		1250 x 706 x 636		- 0500125C1RV	
	550		1360 x 706 x 636		- 0550136C1RV	
	600		1500 x 706 x 636		- 0600150C1RV	
	650		1610 x 706 x 636		- 0650161C1RV	
	670		1700 x 706 x 636		- 0670170C1RV	
	730		1800 x 706 x 636		- 0730180C1RV	
815	2000 x 706 x 636	- 0800200C1RV				

* Full tank capacity ** Upon request



70/70 (sidewalls 700 mm h x 700 mm w)

Mounting kit available for:


SIDE

Materials available:

A	F
Aluminium	Painted Steel RAL 7021



Download specifics
www.padoan.it/documents/Padoan_DIESEL_70-70_EN.pdf



Products range	LT*	Features included	Dimensions (only tank) L x H x W	Material	Product code NSGA: Aluminium NSGF: Painted steel	Mounting kit code SIDE
70/70 diesel	125	<ul style="list-style-type: none"> - fuel cap with key and safety valve - bayonet connection for VDO level indicator) - diesel drainage - homologation ECE34 Part III (side installation) 	300 x 700 x 700	A/F	- 0140030C100	Included
	160		350 x 700 x 700		- 0160035C100	
	170		400 x 700 x 700		- 0190040C100	
	200		450 x 700 x 700		- 0200045C100	
	215		500 x 700 x 700		- 0230050C100	
	260		600 x 700 x 700		- 0280060C100	
	310		700 x 700 x 700		- 0330070C100	
	350		800 x 700 x 700		- 0370080C100	
	400		900 x 700 x 700		- 0400090C100	
	445		1000 x 700 x 700		- 0460100C100	
	500		1100 x 700 x 700		- 0500110C100	
	540		1200 x 700 x 700		- 0550120C100	
	590		1300 x 700 x 700		- 0600130C100	
	680		1500 x 700 x 700		- 0700150C100	
	815		1800 x 700 x 700		- 0800180C100	
910	2000 x 700 x 700	- 0900200C100				
960	2110 x 700 x 700	- 0960211C100				

* Full tank capacity

Accessories pp 34-35

combined tanks



50/64 (sidewalls 500 mm h x 640 mm w)**

Mounting kit available:


SIDE

Materials available:

A	F	I
Aluminium	Painted Steel RAL 7021	Stainless Steel



Download specifics
www.padoan.it/documents/Padoan_COMBINED_50-64_EN.pdf



Products range	LT* diesel / oil	Features included	Filter flange code (oil)	Dimensions (only tank) L x H x W	Material	Product code NSMA: Aluminium NSMF: Painted steel NSMI: Stainless steel	Mounting kit code SIDE
50/64 combined Multi Function (MF)	160/120	diesel - fuel cap with key and breathing valve - bayonet connection (for VDO level indicator)	135	1000 x 500 x 640	A/F/I	- 0160100C100	Included
	175/105	- diesel drainage - homologation ECE34 Part III (side installation)				- 0175100C100	
	190/90	oil - spy eye 1" - suction connection 1" 1/2 - air breather cap h 41mm - adjustable ball valve 1" 1/2				- 0191100C100	

* Full tank capacity ** Upon request

Accessories (oil partition) pp 30-32
 Accessories (diesel partition) pp 34-35




64/50 (sidewalls 640 mm h x 500 mm w)


Mounting kit available:

SIDE

Materials available:



Download specifics
www.padoan.it/documents/Padoan_COMBINED_64-50_EN.pdf



Products range	LT* diesel / oil	Features included	Filter flange code (oil)	Dimensions (only tank) L x H x W	Material	Product code NSMA: Aluminium NSMF: Painted steel NSMI: Stainless steel	Mounting kit code SIDE
64/50 combined Multi Function (MF)	160/120	diesel - fuel cap with key and breathing valve - bayonet connection (for VDO level indicator)	135	1000 x 640 x 500	A/F/I	- 0160100C1RV	Included
	175/105	- diesel drainage - homologation ECE34 Part III (side installation)				- 0175100C1RV	
	190/90	oil - spy eye 1" - suction connection 1" 1/2 - air breather cap h 41mm - adjustable ball valve 1" 1/2				- 0191100C1RV	

* Full tank capacity

Accessories (oil partition) pp 30-32
 Accessories (diesel partition) pp 34-35


63/70 (sidewalls 636 mm h x 706 mm w)




Mounting kit available:

SIDE

Materials available:



Download specifics
www.padoan.it/documents/Padoan_COMBINED_63-70_EN.pdf



Products range	LT* diesel / oil	Features included	Filter flange code (oil)	Dimensions (only tank) L x H x W	Material	Product code NSMA: Aluminium NSMF: Painted steel NSMI: Stainless steel	Mounting kit code SIDE
63/70 combined Multi Function (MF)	125/140	diesel - fuel cap with key and breathing valve - bayonet connection (for VDO level indicator) - diesel drainage - homologation ECE34 Part III (side installation) oil - spy eye 1" - suction connection 1" 1/2 - air breather cap h 41mm - adjustable ball valve 1" 1/2	135	700 x 636 x 706	A/F/I	- 0125070C100	Included
	140/170			800 x 636 x 706		- 0140080C100	
	160/150			800 x 636 x 706		- 0160080C100	
	180/170			900 x 636 x 706		- 0180090C100	
	190/200			1000 x 636 x 706		- 0190100C100	
	200/150			900 x 636 x 706		- 0200091C100	
	220/170			1000 x 636 x 706		- 0220100C100	
	280/200			1250 x 636 x 706		- 0280125C100	
	380/200			1500 x 636 x 706		- 0380150C100	
	410/170			1500 x 636 x 706		- 04100150C100	
600/200	2000 x 636 x 706	- 0600200C100					
63/70 combined EVO	125/140	diesel - fuel cap with key and breathing valve - bayonet connection (for VDO level indicator) - diesel drainage - homologation ECE34 Part III (side installation) oil - level indicator part of Evo Filter - suction connection 1" 1/2 - adjustable ball valve 1" 1/2	Evo	700 x 636 x 706	A/F/I	- 0125070CE00	Included
	140/170			800 x 636 x 706		- 0140080CE00	
	160/150			800 x 636 x 706		- 0160080CE00	
	180/170			900 x 636 x 706		- 0180090CE00	
	190/200			1000 x 636 x 706		- 0190100CE00	
	200/150			900 x 636 x 706		- 0200091CE00	
	220/170			1000 x 636 x 706		- 0220100CE00	
	280/200			1250 x 636 x 706		- 0280125CE00	
	380/200			1500 x 636 x 706		- 0380150CE00	
	410/170			1500 x 636 x 706		- 04100150CE00	
600/200	2000 x 636 x 706	- 0600200CE00					

* Full tank capacity



70/70 (sidewalls 700 mm h x 700 mm w)


Mounting kit available:

SIDE

Materials available:



Download specifics
www.padoan.it/documents/Padoan_COMBINED_70-70_EN.pdf



Products range	LT* diesel / oil	Features included	Filter flange code (oil)	Dimensions (only tank) L x H x W	Material	Product code NSMA: Aluminium NSMF: Painted steel	Mounting kit code SIDE
70/70 combined Multi Function (MF)	150/150	diesel	135	700 x 700 x 700	A/F	- 0150070C100	Included
	200/150	- fuel cap with key and breathing valve		800 x 700 x 700		- 0200080C100	
	200/200	- bayonet connection (for VDO level indicator)		900 x 700 x 700		- 0200090C100	
	220/170	- diesel drainage		900 x 700 x 700		- 0220090C100	
	280/170	- homologation ECE34 Part III (side installation)		1000 x 700 x 700		- 0280100C100	
	300/200	oil		1100 x 700 x 700		- 0300110C100	
	340/200	- spy eye 1"		1200 x 700 x 700		- 0340120C100	
	400/200	- suction connection 1" 1/2		1300 x 700 x 700		- 0400130C100	
	480/200	- air breather cap h 41mm		1500 x 700 x 700		- 0480150C100	
	600/200	- adjustable ball valve 1" 1/2		1800 x 700 x 700		- 0600180C100	
700/200		2000 x 700 x 700	- 0700200C100				

* Full tank capacity

Accessories (oil partition) pp 30-32
Accessories (diesel partition) pp 34-35


accessories oil tanks



Semi-immersed Return Filters

for all tanks excluded 26/36, 36/26, 70/70R and Evo

Oil and combined tanks

	Filter Flange	l/min flow	Micron / μm	Inlet Connection	Product Code	Spare Parts Cartridge
	135	250 l/min	40 μm microfibre	1"1/4	AFO0SEM136125CF	AFO0ELF205070CF
		200 l/min	21 μm microfibre	1"1/4	AFO0SEM136125F2	AFO0ELF205070F2
		150 l/min	10 μm paper	1"1/4	AFO0SEM136125C1	AFO0ELF205070C1
	195	300 l/min	60 μm wire mesh	1"1/4	AFO0SEM195125CL	AFO0ELF210100RM
		250 l/min	21 μm microfibre	1"1/4	AFO0SEM195125F2	AFO0ELF211099F2
		250 l/min	10 μm paper	1"1/4	AFO0SEM19512510	AFO0ELF211099C1
	195	300 l/min	60 μm wire mesh	1"1/4 + 3/4"	AFO0SEM195225CL	AFO0ELF210100RM
		250 l/min	21 μm microfibre	1"1/4 + 3/4"	AFO0SEM195225F2	AFO0ELF211099F2
		250 l/min	10 μm paper	1"1/4 + 3/4"	AFO0SEM19522510	AFO0ELF211099C1


only for 26/36 - 36/26 oil tanks

	135	150 l/min	60 μm wire mesh	1"	AFO0SEM135100ST	AFO0ELF128070BF
		125 l/min	21 μm microfibre	1"	AFO0SEM135100F2	AFO0ELF13007025

*** Immersed Return Filters for Easy Kit**

for all tanks excluded 26/36, 36/26, 70/70R, Evo and monobacket

Oil and combined tanks

	Filter Flange	l/min flow	Micron / μm	Inlet Connection	Product Code	Spare Parts Cartridge
	135	250 l/min	40 μm microfibre	/	AFO0IMM090340CF	AFO0ELF205070CF
		200 l/min	21 μm microfibre	/	AFO0IMM090340F2	AFO0ELF205070F2
		150 l/min	10 μm paper	/	AFO0IMM090340C1	AFO0ELF205070C1
	135	150 l/min	60 μm wire mesh	1"	AFO0IMM090240RM	AFO0ELF142070RM
125 l/min		21 μm microfibre	1"	AFO0IMM090240F2	AFO0ELF142070F2	


only for 26/36 - 36/26 oil tanks

* Customized valve plates are available on request according to your tipping valve hole layout.

Immersed Easy Filters


for all tanks excluded 26/36, 36/26, 70/70R, Evo and monobacket

Oil and combined tanks

	Filter Flange	l/min flow	Micron / μm	Inlet Connection	Product Code	Spare Parts Cartridge
	135	220 l/min	40 μm microfibre	1"	AFO0IMM134100CF	AFO0ELF205070CF
		180 l/min	21 μm microfibre	1"	AFO0IMM134100F2	AFO0ELF205070F2
		150 l/min	10 μm paper	1"	AFO0IMM134100C1	AFO0ELF205070C1
	135	150 l/min	60 μm wire mesh	1"	AFO0IMM134101ST	AFO0ELF142070RM
125 l/min		21 μm microfibre	1"	AFO0IMM134101F2	AFO0ELF142070F2	

only for 26/36 - 36/26 oil tanks

Evo Filters**Oil and combined tanks**

	Filter Flange	l/min flow	Micron / μm	Inlet Connection	Product Code	Spare Parts Cartridge
	Evo	220 l/min	40 μm microfibre	1"1/4	AFO0SFL251125CF	AFO0ELF255059F4
		180 l/min	21 μm microfibre	1"1/4	AFO0SFL251125F2	AFO0ELF255059F2
		150 l/min	10 μm paper	1"1/4	AFO0SFL251125CC	AFO0ELF255059C1

In-line filters



			Oil and combined tanks	
I/min flow	Micron / μm	Inlet connection	Product Code	Spare Parts Cartridge
150 l/min	25 μm microfibre	1"	AFOOLIN000100F2	AFO0ELF177096F2
230 l/min	60 μm wire mesh	1" 1/4	AFOOLIN000100RM	AFO0ELF177096RM
170 l/min	25 μm microfibre	1"	AFOOLIN000125F2	AFO0ELF177096F2
270 l/min	60 μm wire mesh	1" 1/4	AFOOLIN000125RM	AFO0ELF177096RM

Filter's clogging visual indicator



			Oil and combined tanks	
Products Range	Description	Specifics	Product Code	Spare Parts
Oil tanks	Filter's clogging visual indicator	R 1/8" - EN 10226	AII0MPF195VSR42	/

Aluminium cover with return connection and pipe
for all tanks with filter flange 135, monobacket excluded





			Oil and combined tanks	
Products Range	Description	Specifics	Product Code	Spare Parts
Oil tanks	Aluminium cover 160mm	1" return connection and pipe	ACFA1604F010027	/

Air breather caps




			Oil and combined tanks	
Products Range	Description	Specifics	Product Code	Spare Parts Cartridge
MF / Monobacket / Compact 75lt - 90lt / T20 / MFPG	Air breather cap with air filter, fixing screws and anti-splash	h 41 mm - air cartridge paper 10 μm	ATPOPLSCAR0LI20	AFA0CARCILTOP20
RC / RC30	Air breather cap with air filter, fixing screws and anti-splash	h 69 mm - air cartridge paper 10 μm	ATPOPLSCAR0LI10	AFA0CARCILTOP10

Level indicators


			Oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	MF / Monobacket / Compact / MFPG / Classic	round aluminium level gauge	1"	AILOROTLIQ100AL	/
	26/36 / 36/26	round aluminium level gauge	3/4"	AILOROTLIQ075AL	/
	MF (44/54 60-70lt)	sight level gauge	not graduated - 127 mm distance between centers (M12)	AILOVISLIQ12701	/
	T20*	sight level gauge	not graduated - 254 mm distance between centers (M12)	AILOVISLIQ25400	/
			not graduated - 254 mm distance between centers (M12)- low level electric sensor, 2,5 mm wire connection	AILOVISLIQ254CE	/
			graduated - 254 mm distance between centers (M12) - with thermometer	AILOVISLIQ254TR	/

* not included in the standard tank


Adjustable ball valves

			Oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	Oil tanks	adjustable ball valve MF with lever	1"1/4	ARU0ABV12500100	/
		adjustable ball valve MF with lever	1"1/2	ARU0ABV15000100	/
		adjustable ball valve MF with lever	2"	ARU0ABV20000100	/
		adjustable ball valve MF with lever	2"1/2	ARU0ABV25000100	/
Fits with 26/36 and 36/26 oil tanks					
Oil Tanks	adjustable ball valve MF with lever	1"1/4	ARU0ABV12500100		

Pipe fittings

			Oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	Oil tanks	straight pipe fitting, Ø40mm HOSE, inox band and sealing	1"1/4	ARA0PDNPGM12500	/
		straight pipe fitting, Ø51mm HOSE, inox band and sealing	1"1/2	ARA0PDNPGM15000	/
		straight pipe fitting, Ø65mm HOSE, inox band and sealing	2"	ARA0PDNPGM20000	/
		straight pipe fitting, Ø64mm HOSE, steel painted	2" 1/2	ARA0RR0PGM25000	/
		straight pipe fitting, Ø75mm HOSE, steel painted	2" 1/2	ARA0RR0PGM25010	/
		90° adjustable pipe fitting, Ø40mm HOSE connection, inox band and sealing	1"1/4	ARA0PDNPGM12550	/
		90° adjustable pipe fitting, Ø51mm HOSE connection, inox band and sealing	1"1/2	ARA0PDNPGM15050	/
		90° adjustable pipe fitting, Ø65mm HOSE connection, inox band and sealing	2"	ARA0PDNPGM20050	/


Adjustable fittings

			Oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	Oil tanks	90° adjustable fitting M/F	1"1/4	ARA0PDNFLT12550	/
		90° adjustable fitting M/F	1"1/2	ARA0PDNFLT15050	/
		90° adjustable fitting M/F	2"1/2	ARA0PDNFLT25050	/


accessories diesel tanks




Diesel level indicators (for Padoan tanks)

			Diesel oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	Diesel oil tanks	Diesel level indicator 250 mm lenght	Suction and return 10mm, bayonet connection, 4PIN socket connector with switch low level connection	AIC0GENVD025030	/
		Diesel level indicator 430 mm lenght	Suction and return 10mm, bayonet connection, 4PIN socket connector with switch low level connection	AIC0GENVD043030	/
		Diesel level indicator 490 mm lenght	Suction and return 10mm, bayonet connection, 4PIN socket connector with switch low level connection	AIC0GENVD049030	/
		Diesel level indicator 620 mm lenght	Suction and return 10mm, bayonet connection, 4PIN socket connector with switch low level connection	AIC0GENVD062030	/
		Diesel level indicator 690 mm lenght	Suction and return 10mm, bayonet connection, 4PIN socket connector with switch low level connection	AIC0GENVD069030	/


Analogic cabin diesel oil indicator (to be installed with the generic level oil indicator and Padoan tanks)

			Diesel oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	Diesel oil tanks	Cabin fuel level indicator (to be installed with Padoan tank and diesel level indicator)	Round screen with reserve signal	AILOGENPDN00000	/


Diesel connection kits

			Diesel oil and combined tanks		
Products Range	Description	Specifics	Product Code	Spare Parts	
	Diesel oil tanks	Connection kit for diesel tank Pipe lenght 1.500 mm	no. 2 3/4" elbows, no. 2 3/4" valves, no. 2 rubber holders with lenght 12 mm, no. 1 pipe with 12 mm diameter and 1.500 mm lenght	AKA0ABBGAS07500	/
		Connection kit for diesel tank Pipe lenght 3.000 mm	no. 2 3/4" elbows, no. 2 3/4" valves, no. 2 rubber holders with lenght 12 mm, no. 1 pipe with 12 mm diameter and 3.000 mm lenght	AKA0ABBGAS07501	/


Fuel caps
included


			Diesel oil and combined tanks	
Products Range	Description	Specifics	Product Code	Spare Parts
 <p>Diesel oil tanks</p>	Fuel Cap, diameter 80 mm, with bayonet connection	with key and safety valve - plastic	ATP0CARCARB80CE	/

optional not included

 <p>Diesel oil tanks</p>	Fuel Cap, diameter 80mm, with bayonet connection	with key and safety valve - plastic	ATP0CARCARB80CV	/
-----------------------------------------------------------------------------------------------------------	--------------------------------------------------	-------------------------------------	-----------------	---

VDO Cap

			Diesel oil and combined tanks	
Products Range	Description	Specifics	Product Code	Spare Parts
 <p>Diesel oil tanks</p>	Cap with bayonet connection	equipped with cover and rubber	ATP0COPATTVDOPC	/



in the world



Padoan Srl
 Via Risorgive, 20
 31048 Olmi di S. Biagio di Callalta (TV) - Italy
 ph. +39 0422 362172
 info@padoan.it - www.padoan.it

Padoan Swiss SA
 San Vittore, Cantone Grigioni - Switzerland

Padoan Deutschland GmbH
 Mönchengladbach - Germany

Padoan Chile Ltda
 Santiago - Chile

