

Ultra-fast printing of prototypes and equipments

Roboze One PRO




Accelerate the production phase of your equipment, from days to just a few hours

Roboze Technology



Accuracy and Repetability

Roboze's patented gear motion system, the **Beltless System**, has always been synonymous with repeatability and accuracy. The **Roboze One PRO** guarantees **printing precision** of 0,59 mil (15 μ m) and repeatability of the printed parts.




Quick Setup Process

The **complete automation** of all stages of the process **reduces manual operations**. From the loading of the material to the **self-calibration** of the build plate. Achieve the best by doing less



Ultra Fast Production

The **Ultra Fast** profile developed for the PRO systems allows production of components in **Carbon PA PRO and Ultra-PLA** two times faster than any other solution on the market.



Professional Series

Roboze Solution



Roboze One PRO

Ultra fast printing of prototypes and equipment

Speed, tolerances and repeatability guaranteed by a solid and industrial 3D printing system



**HIGH-PERFORMANCE
MATERIALS**


**ULTRA FAST
PRODUCTION**

**REPEATABILITY
OVER TIME**

**15 μ m POSITIONING
ACCURACY**

Professional Series


Roboze Solution



	Professional Series
	Roboze One PRO
Build Volume	300 x 250 x 200 mm 11.8 x 9.8 x 7.9 in
Extruder Temperature	300 °C / 572 °F
Bed Temperature	100 °C / 212 °F
Vacuum Plate	Yes
Accuracy	XY: 15 µm / 590.55 µin Z: 25 µm / 984.25 µin
Resolution	Quality Profile Speed Profile Ultra Fast Profile
MATERIALS	
ULTRA-PLA	X
STRONG-ABS	X
FUNCTIONAL-NYLON	X
FLEX-TPU	X
PP	X
CARBON PA PRO	X

#PrintStrongLikeMetal

Engineered for Production



Roboze Materials



Carbon PA PRO
PA + Carbon Fibers

High tensile strength
High tensile modulus
Good thermal resistance



FUNCTIONAL-NYLON
Polyamide 6

Low wear and low friction coefficient
Good chemical and mechanical resistance



STRONG-ABS
Acrylonitrile-butadiene-styrene

Good processability
Impact resistance
Low water absorption



PP
Polypropylene

High chemical resistance, bump and abrasion.
Electric insulation properties.



FLEX-TPU
Thermoplastic polyurethane

Abrasion and fatigue resistance
High elasticity and good hardness
Atmospheric agents resistance



ULTRA-PLA
Polylactic Acid

High surface quality
Easy to print
Sustainable and hypoallergenic

Roboze 3D Printing to be competitive and generate profits

Industrial Production Challenges

SOFT VICE JAWS

MANUFACTURING



FLEX-TPU



36.14 g



7 €



3 h 6 min

20% Infill



SLIDING BRACKET

MANUFACTURING



CARBON PA PRO



207 g



36 €



4 h 40 min

60% Infill





BIBUS Austria Ges.m.b.H.
Ed.-Klinger-Str. 12
A-3423 St. Andrä-Wördern

Tel. +43 2242 33388
Email: info@bibus.at
www.bibus.at

