



39.171J / 39.171G




Material: Black
39.171G: Light grey

39.175J




Material: NR black
Hardness: 78

39.175H *




Min. order: 2.000 pcs.

39.632J




Material: Black

39.167G




Grey rubber buffer

39.168G



Grey rubber buffer

39.169G




Grey rubber buffer

39.170G




Grey rubber buffer

39.174




Material: NR / SBR black

39.177




Material: NR / SBR black

39.178




Material: NR / SBR black

39.179




Material: NR / SBR black

39.632A




Material: NR / SBR black

39.632B




Material: NR / SBR black

39.632C




Material: NR / SBR black

39.172




Material: NR / SBR black

39.173




Material: NR / SBR black

39.626J




Material: NR black
Hardness: SH 85

39.637




Vehicle bumper
Material: NR / SBR black

39.625




Material: NR / SBR

39.624




Material: NR / SBR black

39.623J




Rubber buffer, slightly conical
Material: NR

39.620J




Rubber buffer with washers
Material: NR black
Hardness: SH 85

39.638




Vehicle bumper
Material: NR / SBR black

39.181061




Material: NR / SBR
Weight: 1.050 g

39.181052




Material: NR / SBR
Weight: 1.370 g

39.627




Material: SBR black

39.181060




Material: NR / SBR
Weight: 1.370 g

39.360




Material: NR / SBR black

39.628




Material: NR / SBR

39.646




Material: NR / SBR black
Weight: 1.800 g

39.629




Material: NR / SBR black

39.634




Buffer with steel washers and steel casing, 3 holes for 16 mm bolt.
Material: EPDM black

39.630




Material: NR / SBR black

39.634P




Material: NR / SBR black

39.647




Material: NR / SBR black

39.650




Material: NR / SBR black

39.631X




Material: SBR black
Hardness: SH 75

39.651A




Material: NR / SBR
39.651: SBR + rayon

39.652




Material: NR / SBR black

39.653




Material: NR / SBR black

39.644




Material: SBR + rayon
39.644A: NR / SBR *

39.631A




Material: NR / SBR

39.648




Material: NR / SBR black

39.649




Material: NR / SBR black

39.642X




Material: NR / SBR (Economy)
39.642 SBR + rayon *

39.643X




Material: NR / SBR (Economy)

39.M24




M24 washer for rubber buffer

39.636H




Buffer, vulcanized new rubber.

39.635X




Buffer, vulcanized new rubber.

39.635




Buffer, vulcanized new rubber.

39.636X



Buffer, vulcanized new rubber.

39.636



Buffer, vulcanized new rubber.



Anslagsbuffere / tipper pads *

Material: Steel / rubber

Art.	Size steel element (mm)	Size rubber element (mm)	Weight (kg)
39.658	150 x 40 x 5	100 x 40 x 25	0,34
39.656	152 x 88 x 6	100 x 86 x 22	0,75
39.657	355 x 75 x 3	290 x 74 x 27	1,35



Anslagsbuffere / tipper pads *

Material: Aluminium / rubber

Art.	Size aluminium element (mm)	Size rubber element (mm)	Weight (kg)
39.659	152 x 88 x 5	100 x 86 x 23	0,41
39.661 *	180 x 75 x 5	115 x 75 x 29	0,41
39.660 *	152 x 88 x 5	100 x 88 x 38	0,6
39.662 *	180 x 75 x 5	150 x 75 x 40	0,6
39.663 *	180 x 75 x 4	115 x 75 x 46	0,6
39.664 *	190 x 115 x 6	120 x 112 x 14 - 20	0,6
39.665 *	355 x 75 x 5	290 x 75 x 39	1,4

39.180



Material: SBR black
Hardness: SH 80
Rubber pad Ø120 for lift stabilizers. Internal Ø108 mm. Height 26 mm.

39.181 *



Material: SBR black
Hardness: SH 75
Rubber pad Ø120 for lift stabilizers. Internal Ø108 mm. Height 26 mm.

39.182



Material: SBR black
Hardness: SH 75
Rubber pad Ø145 for lift stabilizers. Internal Ø120 mm. Height 24 mm.

39.183



Material: TPE black
Hardness: SH 80
Rubber pad Ø145 for lift stabilizers. Internal height 26 mm.

39.188 *



Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 75
Size: Ø 160 x H 28 mm
Internal Ø 135 mm

39.183A *



Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 80
Size: Ø 100 x H 21 mm
Internal Ø 80 mm

39.183B *




Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 80
Size: Ø 140 x H 25 mm
Internal Ø 103 mm

39.183C *




Rubber pad for lift stabilizers
Material: Black
Hardness: SH 80
Size: Ø 140 x H 25 mm
Internal Ø 74 / 60 mm

30.9906



Hardness: SH 80

52.CWC8 *



Chocks

39.184



Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 75
160 x 120 x 20 mm

39.186



Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 75
160 x 120 x 120 mm

39.187












Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 75
180 x 60 x 100 mm

39.185



Rubber pad for lift stabilizers
Material: SBR black
Hardness: SH 75
160 x 120 x 35 mm

Gummipuffer

Art.	Image	Measure
30.13186-1		
30.13186-2		
30.13186-3		
30.13186-4		
30.13186-5 *		
30.13186-6 *		
30.13186-7 *		
30.13186-8 *		

Material: PVC grey

39.645

